

Lot Number: [RL-4383620-E](#)  
Client Name: [Reset Labs](#)  
Identity: <http://www.resetclinicals.com>

Received Date: [06/05/2026](#)  
Analysis Conducted: [06/08/2026](#)  
Searchable via: [horizonanalytical.com](http://horizonanalytical.com)

|             |              |
|-------------|--------------|
| Compound:   | Semax        |
| Lot:        | RL-4383620-E |
| Appearance: | -            |

|             |                                                                  |
|-------------|------------------------------------------------------------------|
| CAS:        | 80714-61-0                                                       |
| Formula:    | C <sub>37</sub> H <sub>51</sub> N <sub>9</sub> O <sub>10</sub> S |
| Mol Weight: | ~813.92 g/mol                                                    |

Pubchem CID: 9811102

#### Endotoxin Test

|                | Specification | Result       | Scan to Validate:                                                                   |
|----------------|---------------|--------------|-------------------------------------------------------------------------------------|
| Compound Test: | Semax         | -            |  |
| Endotoxin:     | -             | < 0.05 EU/mL |                                                                                     |

Aleksey Yevtodiyenko PhD  
Research and Formulation Chemist



This endotoxin analysis was performed under standard laboratory conditions using validated testing methodologies to ensure accurate and reliable results. The analysis is intended for informational and research purposes only.

Contact at: [contact@horizonanalytical.com](mailto:contact@horizonanalytical.com)

Proudly Owned and Operated in the USA 